



WATER FALL Cascade spout with PEARLSTREAM for wall-mounted installation - Dark Chrome

13 425 979



- 7/8" Projection
- Pearlstream
- Plate 9-1/2" x 2-3/8"
- Connection 1/2", can be cut to length
- Plug-in connection mounting
- Flow rate max. 2.5 gpm (at 3 bar)

	Dark Chrome	13 425 979-19
	Chrome	13 425 979-00
	Brushed Platinum	13 425 979-06
	Platinum	13 425 979-08
	Light gold	13 425 979-26
	Brushed Light Gold	13 425 979-27
	Brushed Durabrass (23kt Gold)	13 425 979-28
	Matte Black	13 425 979-33
	Brushed Bronze	13 425 979-42
	Brushed Champagne (22kt Gold)	13 425 979-46
	Champagne (22kt Gold)	13 425 979-47
	Brushed Chrome	13 425 979-93
	Brushed Dark Platinum	13 425 979-99

Required article

Rough-in adapter -


35 080 970-90
0010






WATER FALL Cascade spout with PEARLSTREAM for wall-mounted installation - Dark Chrome


13 425 979
mm [inches]



Flow rate chart



Trajectory length diagram



Codes & Standards

ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC	DIN 4109
ISO 3822	Ü-Zeichen		



WATER FALL Cascade spout with PEARLSTREAM for wall-mounted installation - Dark Chrome

13 425 979
Certificates

LGA_19

IAPMO_4976



WATER FALL Cascade spout with PEARLSTREAM for wall-mounted installation - Dark Chrome

13 425 979

