



Cascade tub spout for wall-mounted installation - Brushed Dark Brass

SERIES SPECIFIC

13 430 740



- 7-7/8" Projection
- Cascade
- Plate 7-1/8" x 2-3/8"
- 1-5/8" hole diameter
- 1/2" connection
- Plug-in connection mounting
- Water flow rate limited to max. 7 gpm

| | | |
|--|--------------------------------|---------------|
|  | Brushed Dark Brass | 13 430 740-39 |
|  | Chrome | 13 430 740-00 |
|  | Brushed Platinum | 13 430 740-06 |
|  | Platinum | 13 430 740-08 |
|  | Dark Chrome | 13 430 740-19 |
|  | Brushed Durabronze (23kt Gold) | 13 430 740-28 |
|  | Matte Black | 13 430 740-33 |
|  | Brushed Champagne (22kt Gold) | 13 430 740-46 |
|  | Champagne (22kt Gold) | 13 430 740-47 |
|  | Brushed Dark Platinum | 13 430 740-99 |

13 430 740

mm [inches]



Flow rate chart



Trajectory length diagram



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Cascade tub spout for wall-mounted installation - Brushed Dark Brass

SERIES SPECIFIC

13 430 740

Certificates and sustainability

LGA_19

WRAS_240502

13 430 740

Parts for other
finishes can be found
here: [Chrome](#)

