










- 5-3/8" Projection
- US drain with overflow
- Rigid spout
- Round aerated stream
- Total height 2-7/8"
- Height to aerator/spout outlet 1-5/8"
- Valve hole diameter 1-1/4"
- Spout hole diameter 1-3/8"
- Without flange
- 2x 1/2" x 1/2" flex lines
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Suitable only for basins with overflow.

	Brushed Dark Platinum	20 700 360-99 0010
	Chrome	20 700 360-00 0010
	Brushed Platinum	20 700 360-06 0010
	Platinum	20 700 360-08 0010
	Durabrass (23kt Gold)	20 700 360-09 0010
	Brushed Durabrass (23kt Gold)	20 700 360-28 0010

20 700 360 Product version from 7/31/2009

mm [inches]



Codes & Standards


ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC
NSF372	NSF61		

Certificates and sustainability

IAPMO_N-4	IAPMO_4976	IAPMO_6
-----------	------------	---------

20 700 360 Product version from 7/31/2009

Parts for other
finishes can be found
here: [Chrome](#)



20 ————— Ablaufgarnitur 04.11.01.001.00.FP

Spare parts list

Number	Item Number	Designation	Number of units	Lead time
8	90 23 10 012 00 90	gasket kit	1.00	2
12	09 26 01 010 90	accessories	1.00	2
17	09 21 02 055-99	cover	2.00	20
18	09 27 35 001-99	rosette	2.00	20
1	09 20 36 030-99	handle	1.00	20
10	04 20 36 002 06-99	handle (cold)	1.00	20
11	09 20 36 005-99	handle	2.00	20
9	04 30 04 096 00 90	hose	2.00	2
4	13 700 380-99 0010	spout	1.00	20
19	90 17 11 040 51 90	side panel	2.00	2
16	04 30 30 029 00 90	fixing set	2.00	2
14	09 20 36 002-99	handle	2.00	20
5	04 20 36 002 07-99	handle (hot)	1.00	20
15	09 20 36 004-99	handle	8.00	20
3	09 31 09 004-99	pull-rod	1.00	20
13	09 20 83 006 90	handle	2.00	2
6	09 26 01 011 90	accessories	1.00	2
7	90 17 11 020 10 90	distributor	1.00	2
20	90 11 01 023 00-99	pop-up waste	1.00	20
2	90 14 10 062 00 90	seal	1.00	2