

## TARA Hand shower set with individual flanges FlowReduce - Platinum

TARA

27 803 892 Product version from 6/30/2015 to 7/11/2018



- 3-way or 5-way adjustable: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, flow rate max. 1.8 gpm (at 3 bar)
- Descaling system
- Metal shower hose 49-1/4" with anti-twist device
- 1/2" Shower outlet

### Technical data:

- Wall elbow with flange Ø 2-1/8"
- Wall bracket with flange Ø 2-1/8"
- 1/2" wall elbow

### Internal backflow preventer.

Internal backflow preventer.

	Platinum	27 803 892-08 0010
	Chrome	27 803 892-00 0010
	Brushed Platinum	27 803 892-06 0010
	Dark Chrome	27 803 892-19 0010
	Brushed Durabronze (23kt Gold)	27 803 892-28 0010
	Matte Black	27 803 892-33 0010
	Brushed Dark Brass	27 803 892-39 0010
	Brushed Bronze	27 803 892-42 0010
	Brushed Champagne (22kt Gold)	27 803 892-46 0010
	Champagne (22kt Gold)	27 803 892-47 0010
	Brushed Chrome	27 803 892-93 0010
	Brushed Dark Platinum	27 803 892-99 0010

### Required article

**Rough-in adapter -**

35 080 970-90  
0010




## TARA Hand shower set with individual flanges FlowReduce - Platinum

TARA

27 803 892 Product version from 6/30/2015 to 7/11/2018

mm [inches]




### Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
ISO 3822	Ü-Zeichen		

### Certificates and sustainability

LGA\_29 IAPMO\_4976



## Spare parts list

Number	Item Number	Designation	Number of units	Lead time
2	28 050 892-08	TARA Wall bracket - Platinum	1.00	40
4	28 014 979-08 0010	Hand shower - Platinum	1.00	-
Spare part can no longer be ordered, please order the replacement item				
	28018979-080010	Hand shower FlowReduce - Platinum		
1	28 450 892-08	connection	1.00	60
3	28 104 970-08	Metal shower hose 1/2" x 1/2" x 49-1/4" - Platinum	1.00	40