

VAIA Hand shower set with individual flanges FlowReduce - Platinum

VAIA

27 808 809



- COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- 3/8" Shower outlet
- Metal shower hose 49-1/4" with anti-twist device
- Descaling system










Technical dimensions:

- Wall elbow with flange Ø 2-3/8"
- Wall bracket with flange Ø 2-3/8"
- 1/2" wall elbow

Notes:

Internal backflow preventer.

Internal backflow preventer.

	Platinum	27 808 809-08 0010
	Chrome	27 808 809-00 0010
	Brushed Platinum	27 808 809-06 0010
	Dark Chrome	27 808 809-19 0010
	Brushed Durabronze (23kt Gold)	27 808 809-28 0010
	Brushed Bronze	27 808 809-42 0010
	Brushed Champagne (22kt Gold)	27 808 809-46 0010
	Champagne (22kt Gold)	27 808 809-47 0010
	Brushed Dark Platinum	27 808 809-99 0010

Required article


Rough-in adapter -

35 080 970-90 0010



27 808 809

mm [inches]




Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
ISO 3822	Ü-Zeichen		

Certificates and sustainability

LGA_29	IAPMO_4976
--------	------------



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
3	28 050 809-08	VAIA Wall bracket - Platinum	1.00	40
5	90 30 02 072 00-08	Metal shower hose 1/2" x 3/8" x 49-1/4" - Platinum	1.00	40
2	28 450 809-08	VAIA Wall elbow - Platinum	1.00	40
4	90 14 20 026 00 90	seal	1.00	2
1	90 12 11 140 41-08	shower	1.00	40