

## META Single-lever tub mixer for wall-mounted installation with hand shower set - Dark Chrome

META

33 233 660



- Spout: Round aerated stream
- Water flow rate limited to max. 3.7 gpm
- Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Hand shower set with anti-scale technology
- Integrated diverter
- 8" Projection
- Flanges Ø 2-3/8"
- Center to center 5-7/8" ± 5/8"
- 1/2" connection
- Metal shower hose 49-1/4" with anti-twist device
- Showerhead holder with rosette, Ø 2-1/4"

Internal backflow preventer.


NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)

	Dark Chrome	33 233 660-19
	Chrome	33 233 660-00
	Brushed Platinum	33 233 660-06
	Light gold	33 233 660-26
	Brushed Light Gold	33 233 660-27
	Matte Black	33 233 660-33
	Brushed Bronze	33 233 660-42
	Brushed Champagne (22kt Gold)	33 233 660-46
	Champagne (22kt Gold)	33 233 660-47
	Brushed Chrome	33 233 660-93
	Brushed Dark Platinum	33 233 660-99


# META Single-lever tub mixer for wall-mounted installation with hand shower set - Dark Chrome

META

33 233 660  
mm [inches]



Flow rate chart



## Codes & Standards

California Energy Commission (CEC)	DIN 4109	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



META Single-lever tub mixer for wall-mounted installation with hand shower set  
- Dark Chrome

META

33 233 660

Certificates and sustainability

LGA\_29

WRAS\_2207

# META Single-lever tub mixer for wall-mounted installation with hand shower set - Dark Chrome

META

33 233 660

Parts for other  
finishes can be found  
here: [Chrome](#)

