

**SYNC Profi single-lever mixer - Matte Black**

33 865 895



- 7-7/8" Projection
- Flexible silicone hose with large operating range of up to 13-3/4"
- Swiveling 360°
- Optional restricted swivel available with swivel limiter set 12 821 970 90
- Aerated stream and spray mode
- Total height 17-3/4"
- Height to aerator/spout outlet 4-5/8"
- 1-3/8" hole diameter
- 2 x pressure hose with 3/8" compression fitting
- Sprayface with descaling system
- Water flow rate limited to max. 1.5 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

(ADA)

Internal backflow preventer.

Switch back and forth between aerator and spray mode while water is running.

	Matte Black	33 865 895-33 0010
	Chrome	33 865 895-00 0010
	Brushed Platinum	33 865 895-06 0010
	Platinum	33 865 895-08 0010
	Durabronze (23kt Gold)	33 865 895-09 0010
	Dark Chrome	33 865 895-19 0010
	Brushed Durabronze (23kt Gold)	33 865 895-28 0010
	Brushed Bronze	33 865 895-42 0010
	Brushed Champagne (22kt Gold)	33 865 895-46 0010
	Champagne (22kt Gold)	33 865 895-47 0010
	Brushed Chrome	33 865 895-93 0010
	Brushed Dark Platinum	33 865 895-99 0010

**Recommended article**



**Swivel limiter set -** 12 821 970 90

**Recommended article**



**Soap dispenser without flange - Matte Black** 82 424 970-33

**Recommended article**




**AIR SWITCH operating button, trim parts only - Matte Black** 10 713 970-33




## SYNC Profi single-lever mixer - Matte Black

33 865 895



### Flow rate chart



### Codes & Standards

ADA

ASME  
A112.18.1/CSA  
B125.1

California Energy  
Commission  
(CEC)

NSF/ANSI 372

NSF/ANSI/CAN  
61

NSF372

NSF61



## SYNC Profi single-lever mixer - Matte Black

---

33 865 895

### Certificates

---

IAPMO\_N-4976

IAPMO\_6397

SYNC Profi single-lever mixer - Matte Black

33 865 895

