






DORNBRAUCH LYV Single-lever mixer with pull-out spout with spray function -  
Brushed Nickel

DORNBRAUCH LYV

33 960 110



- 9" Projection
  - Swiveling spout 120°
  - Aerated stream and spray mode
  - Fabric braided spray hose 59"
  - Water flow rate limited to max. 1.4 gpm
  - lead-free
- Internal backflow preventer.


	Brushed Nickel	33 960 110-70 0010
	Chrome	33 960 110-00 0010
	Soft Black	33 960 110-69 0010



DORNBRACHT LYV Single-lever mixer with pull-out spout with spray function -  
Brushed Nickel

DORNBRACHT LYV

33 960 110



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	NSF372
NSF61			

Certificates and sustainability


IAPMO_N-4976	IAPMO_6397	IAPMO_4976 (	
--------------	------------	--------------	--

## DORNBRAUCHT LYV Single-lever mixer with pull-out spout with spray function - Brushed Nickel

DORNBRAUCHT  
LYV

33 960 110

Parts for other  
finishes can be found  
here: [Chrome](#)



### Spare parts list

Number	Item Number	Designation	Number of units	Lead time
3	90 15 05 067 00 90	cartridge	1.00	2
7	90 14 05 081 00 90	seal	1.00	2
9	90 14 15 062 00 90	gasket kit	1.00	2
8	90 12 11 181 01-70	shower	1.00	2
1	90 20 81 001 00-70	handle	1.00	2
2	90 28 30 010 00-70	cover	1.00	2
6	90 23 01 051 01 90	flow reducer	1.00	2
14	90 30 04 110 00 90	hose	1.00	2
11	90 14 05 080 00 90	seal	1.00	2
13	04 30 04 102 00 90	Flexible supply line 3/8" -	2.00	2
4	90 18 40 227 00 90	insert	1.00	2
10	90 30 01 211 01 90	shaft	1.00	2
5	90 30 02 101 00 90	hose	1.00	2
12	90 23 10 003 00 90	fixing set	1.00	2