

Shower thermostat For wall mounting - Brushed Platinum
SERIES-VARIOUS

34 443 979
Product version from 5/1/2022













- 3/8" Shower outlet
- Flanges Ø 2-3/4"
- 1/2" connection
- Center to center 5-7/8" ± 1/2"
- with volume control

Internal backflow preventer.

Can be combined with hand shower sets and slide bar sets.

Internal backflow preventer.

Can be combined with hand shower sets and slide bar sets.

	Brushed Platinum	34 443 979-06
	Chrome	34 443 979-00
	Platinum	34 443 979-08
	Dark Chrome	34 443 979-19
	Brushed Durabrass (23kt Gold)	34 443 979-28
	Matte Black	34 443 979-33
	Brushed Champagne (22kt Gold)	34 443 979-46
	Champagne (22kt Gold)	34 443 979-47
	Brushed Chrome	34 443 979-93
	Brushed Dark Platinum	34 443 979-99

Required article



Rough-in adapter -

•Please order 2 adapters

35 080 970-90
0010




TARA Volume control handle -

Brushed Platinum


11 431 892-06

34 443 979 Product version from 5/1/2022

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Shower thermostat For wall mounting - Brushed Platinum

SERIES-VARIOUS

34 443 979 Product version from 5/1/2022

Certificates and sustainability

Belgaqua_22_281_2 LGA_29 WRAS_2204

