

35 003 970 Product version up to 10/2/2019



- brass, lead free
- 2x Connection 1/2" IT (cold/warm), DN 15
- Mud guard
- Water protection
- Sound insulation


for 36 804 661-FF0010

Wall mounting -

SERIES-VARIOUS


35 003 970 Product version up to 10/2/2019

mm [inches]



with item	min. X	max. Y
36013970-FF;36013660-FF;36045970-FF;36045660-FF	90 [3 1/2"]	113 [4 1/2"]
36804661-FF	78 [3 1/8"]	103 [4"]

Flow rate chart



Codes & Standards

ASME A112.18.1 cUPC NSF372 NSF61




Wall mounting -

SERIES-VARIOUS

35 003 970 Product version up to 10/2/2019

Certificates and sustainability

IAPMO_N-4976 IAPMO_6397 IAPMO_4976 (



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
8	09 21 02 178 90	cap	1.00	2
5	09 31 20 038 90	plug	1.00	2
3	09 14 10 112 90	seal	1.00	2
6	09 20 97 010 90	cap	1.00	2
4	09 14 10 139 90	seal	1.00	2
2	09 11 11 019 90	accessories	2.00	2
1	05 30 31 029 00 90	fixing set	1.00	2
7	04 14 03 079 00 90	gasket kit	1.00	2