

## Rough for wall-mounted faucet -

SERIES SPECIFIC

35 870 970 Product version from 1/1/2023



- brass, lead free
- 2x Connection 1/2" IT (cold/warm), DN 15
- 1x female thread 1/2" outlet for wall spout
- 1x outlet 1/2"
- 2x Mud guard
- Water protection
- Sound insulation
- Center to center 3-7/8"



Rough for wall-mounted faucet -

SERIES SPECIFIC


35 870 970    Product version from 1/1/2023

Codes & Standards

ASME A112.18.1	cUPC	NSF372	NSF61
----------------	------	--------	-------

Certificates and sustainability

IAPMO_N-4976	IAPMO_6397	IAPMO_4976 (
--------------	------------	--------------



## Spare parts list

Number	Item Number	Designation	Number of units	Lead time
8	90 23 01 174 00 90	sleeve	2.00	2
7	09 21 02 182 90	cap	1.00	2
3	90 23 01 091 00 90	set	3.00	2
6	90 24 04 349 00 90	threaded connector	1.00	2
4	90 31 20 107 00 90	plug	1.00	2
9	04 14 03 074 01 90	gasket kit	1.00	2
5	90 17 01 238 00 90	sleeve	1.00	2
1	04 31 20 006 00 90	plug	1.00	2
2	09 21 02 182 90	cap	1.00	2