



MEM Wall mounted two-way diverter - Dark Chrome

MEM

36 200 782



- Manual diverter
 - Flange 2-3/8" x 2-3/8"
 - with integrated shut-off (ADA)
- Does not allow for simultaneous use of functions**
- (ADA)
- Does not allow for simultaneous use of functions

| | | |
|--|-------------------------------|--------------------|
| | Dark Chrome | 36 200 782-19 0010 |
| | Chrome | 36 200 782-00 0010 |
| | Brushed Platinum | 36 200 782-06 0010 |
| | Platinum | 36 200 782-08 0010 |
| | Brushed Durabrass (23kt Gold) | 36 200 782-28 0010 |
| | Brushed Dark Platinum | 36 200 782-99 0010 |

Required article



- Wall mounted two-way diverter -** 35 202 970-90
- Max. rough in depth 6-1/4" 0010
 - Min. rough in depth 4-1/2"




MEM Wall mounted two-way diverter - Dark Chrome

MEM

36 200 782

mm [inches]



Codes & Standards

| | | | |
|-----|----------------|------------------------------------|------|
| ADA | ASME A112.18.1 | California Energy Commission (CEC) | cUPC |
|-----|----------------|------------------------------------|------|

Certificates and sustainability

IAPMO_4976 (

