

**SYMETRICS Wall mounted three-way diverter - Brushed Durabross (23kt Gold)**

36 210 980



- Manual diverter
  - Flange 2-3/8" x 2-3/8"
  - with integrated shut-off (ADA)
- Does not allow for simultaneous use of functions**
- (ADA)
- Does not allow for simultaneous use of functions

	Brushed Durabross (23kt Gold)	36 210 980-33 0010
	Chrome	36 210 980-00 0010
	Brushed Platinum	36 210 980-06 0010
	Brushed Light Gold	36 210 980-27 0010
	Brushed Durabross (23kt Gold)	36 210 980-28 0010
	Brushed Durabross (23kt Gold)	36 210 980-93 0010
	Brushed Champagne (22kt Gold)	36 210 980-46 0010
	Champagne (22kt Gold)	36 210 980-47 0010
	Brushed Dark Platinum	36 210 980-99 0010

**Required article**



- Wall mounted three-way diverter - 35 203 970-90 0010**
- Min. rough in depth "
  - Max. rough in depth "




## SYMETRICS Wall mounted three-way diverter - Brushed Durabron (23kt Gold)

---


36 210 980

mm [inches]



### Flow rate chart

---



### Codes & Standards

---

ASME A112.18.1

cUPC



## SYMETRICS Wall mounted three-way diverter - Brushed Durabronz (23kt Gold)

---

36 210 980

Certificates

---

IAPMO\_4976 (



# SYMETRICS Wall mounted three-way diverter - Brushed Durabronz (23kt Gold)

36 210 980

