

MEM Volume Control - Brushed Durabron (23kt Gold)

MEM

36 310 782



- Flange 2-3/8" x 2-3/8"
(ADA)

NOTE: Important! Due to minimum rough-in requirements, a framing of 2 x 6 studs may be needed.

(ADA)

NOTE: Important! Due to minimum rough-in requirements, a framing of 2 x 6 studs may be needed.

| | | |
|--|-------------------------------|---------------|
|  | Brushed Durabron (23kt Gold) | 36 310 782-28 |
|  | Chrome | 36 310 782-00 |
|  | Brushed Platinum | 36 310 782-06 |
|  | Platinum | 36 310 782-08 |
|  | Dark Chrome | 36 310 782-19 |
|  | Brushed Champagne (22kt Gold) | 36 310 782-46 |
|  | Champagne (22kt Gold) | 36 310 782-47 |
|  | Cyprus | 36 310 782-49 |
|  | Brushed Chrome | 36 310 782-93 |
|  | Brushed Dark Platinum | 36 310 782-99 |

Required article



Rough for volume control clockwise-closing 1/2" -

- Min. rough in depth 3-3/8"
- Max. rough in depth 5-1/8"

35 621 970-90
0010




MEM Volume Control - Brushed Durabrace (23kt Gold)

MEM

36 310 782

mm [inches]



Codes & Standards

ADA

36 310 782

