

Concealed thermostat with one-way diverter - Platinum

SERIES SPECIFIC

36 425 970 Product version up to 8/24/2020



- Cover plate Ø 5-7/8"
- Temperature control handle with safety lock at 100 °F/ 38°C
- Max. temperature can be set on the trim
(ADA)
- (ADA)

	Platinum	36 425 970-08 0010
	Chrome	36 425 970-00 0010
	Brushed Platinum	36 425 970-06 0010
	Dark Chrome	36 425 970-19 0010
	Light gold	36 425 970-26 0010
	Brushed Light Gold	36 425 970-27 0010
	Brushed Durabrass (23kt Gold)	36 425 970-28 0010
	Matte Black	36 425 970-33 0010
	Brushed Bronze	36 425 970-42 0010
	Brushed Champagne (22kt Gold)	36 425 970-46 0010
	Champagne (22kt Gold)	36 425 970-47 0010
	Brushed Chrome	36 425 970-93 0010
	Brushed Dark Platinum	36 425 970-99 0010

Required article



**Concealed thermostat for one-
and two-way outlets -**
 •Max. rough in depth 5-3/8"
 •Min. rough in depth 3-1/8"

35 426 970-90
0010

Recommended article



**xGRID Mounting bracket for
drywall construction -**

12 340 970 90

Required article



xGRID Installation track 21.85" - 12 360 970 90




Concealed thermostat with one-way diverter - Platinum


SERIES SPECIFIC

36 425 970 Product version up to 8/24/2020

mm [inches]



Flow rate chart



Codes & Standards

ADA ASME A112.18.1 cUPC



Concealed thermostat with one-way diverter - Platinum

SERIES SPECIFIC

36 425 970 Product version up to 8/24/2020


Certificates and sustainability

IAPMO_4976 (

Concealed thermostat with one-way diverter - Platinum

SERIES SPECIFIC

36 425 970 Product version up to 8/24/2020





Concealed thermostat with one-way diverter - Platinum

SERIES SPECIFIC

36 425 970 Product version up to 8/24/2020

Spare parts list

Number	Item Number	Designation	Number of units	Lead time
16	09 30 30 157 90	screw	4.00	2
5	90 12 12 002 00 90	fixing cap	1.00	2
22	90 15 02 013 00 90	cartridge	1.00	2
17	09 30 01 296 90	disc	1.00	2
2	09 12 12 053-08	base	1.00	40
21	09 24 04 257 90	nut	2.00	2
23	09 28 10 189 90	regulator	1.00	2
15	09 11 02 242-08	plate	1.00	40
13	09 12 12 051-08	base	1.00	40
11	09 28 10 190 90	regulator	1.00	2
18	90 30 01 190 00 90	disc	1.00	2
14	09 31 11 134 90	pin	1.00	2
1	90 90 03 166 00 90	top	1.00	2
10	09 12 12 054 90	base	1.00	2
7	90 17 33 019 00-08	handle	1.00	40
6	09 20 67 006-08	handle	1.00	40
4	90 23 30 023 00 90	nut	2.00	2
20	90 18 40 077 01 90	spindle	2.00	2
9	90 12 12 052 00 90	base	1.00	2
12	04 29 06 024 01-00	spindle	1.00	10
3	04 29 06 111 01-00	spindle	1.00	10
8	90 30 30 124 00 90	screw	1.00	2
19	90 23 01 124 00 90	sleeve	2.00	2