

LISSÉ Concealed thermostat with three-way diverter - Brushed Light Gold

LISSÉ








36 428 845 Product version from 6/30/2022



- Diverter with integrated volume control
- Cover plate 5-7/8" x 3-1/2"
- Max. temperature can be set on the trim
- Temperature control handle with safety lock at 100 °F/ 38°C
- single flow function only

(ADA)

(ADA)

	Brushed Light Gold	36 428 845-27 0010
	Chrome	36 428 845-00 0010
	Brushed Platinum	36 428 845-06 0010
	Dark Chrome	36 428 845-19 0010
	Matte Black	36 428 845-33 0010
	Brushed Chrome	36 428 845-93 0010
	Brushed Dark Platinum	36 428 845-99 0010

Required article



Concealed thermostat for three-way outlets -

- Min. rough in depth 3-1/8"
- Max. rough in depth 5-3/8"

35 428 970-90 0010

Recommended article



xGRID Mounting bracket for drywall construction -

12 340 970 90

Required article



xGRID Installation track 21.85" -

12 360 970 90




LISSE Concealed thermostat with three-way diverter - Brushed Light Gold

LISSE

36 428 845 Product version from 6/30/2022

mm [inches]



Codes & Standards

ADA	California Energy Commission (CEC)
-----	------------------------------------

