

LISSÉ Concealed thermostat with three-way diverter - Matte Black

LISSÉ








36 428 845 Product version from 6/30/2022



- Diverter with integrated volume control
- Cover plate 5-7/8" x 3-1/2"
- Max. temperature can be set on the trim
- Temperature control handle with safety lock at 100 °F/ 38°C
- single flow function only

(ADA)

(ADA)

	Matte Black	36 428 845-33 0010
	Chrome	36 428 845-00 0010
	Brushed Platinum	36 428 845-06 0010
	Dark Chrome	36 428 845-19 0010
	Brushed Light Gold	36 428 845-27 0010
	Brushed Chrome	36 428 845-93 0010
	Brushed Dark Platinum	36 428 845-99 0010

Required article



- | | |
|---|--------------------|
| Concealed thermostat for three-way outlets - | 35 428 970-90 0010 |
| •Max. rough in depth 5-3/8" | |
| •Min. rough in depth 3-1/8" | |

Recommended article



- | | |
|--|---------------|
| xGRID Mounting bracket for drywall construction - | 12 340 970 90 |
|--|---------------|

Required article



- | | |
|--|---------------|
| xGRID Installation track 21.85" - | 12 360 970 90 |
|--|---------------|




LISSE Concealed thermostat with three-way diverter - Matte Black

LISSE

36 428 845 Product version from 6/30/2022

mm [inches]



Codes & Standards

ADA	California Energy Commission (CEC)
-----	------------------------------------

