



Concealed thermostat with three-way diverter - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

36 428 970 Product version from 6/30/2022



- Diverter with integrated volume control
  - Cover plate Ø 5-7/8"
  - Temperature control handle with safety lock at 100 °F/ 38°C
  - Max. temperature can be set on the trim
  - single flow function only
- (ADA)**
- (ADA)

	Brushed Champagne (22kt Gold)	36 428 970-46 0010
	Chrome	36 428 970-00 0010
	Brushed Platinum	36 428 970-06 0010
	Platinum	36 428 970-08 0010
	Dark Chrome	36 428 970-19 0010
	Light gold	36 428 970-26 0010
	Brushed Light Gold	36 428 970-27 0010
	Brushed Durabronze (23kt Gold)	36 428 970-28 0010
	Matte Black	36 428 970-33 0010
	Brushed Dark Brass	36 428 970-39 0010
	Brushed Bronze	36 428 970-42 0010
	Champagne (22kt Gold)	36 428 970-47 0010
	Brushed Chrome	36 428 970-93 0010
	Brushed Dark Platinum	36 428 970-99 0010

Required article

	<b>Concealed thermostat for three-way outlets -</b> <ul style="list-style-type: none"><li>•Max. rough in depth 5-3/8"</li><li>•Min. rough in depth 3-1/8"</li></ul>	35 428 970-90 0010
--	---	--------------------

Required article

	<b>xGRID Installation track 21.85" -</b>	12 360 970 90
--	--	---------------

Recommended article


	<b>xGRID Mounting bracket for drywall construction -</b>	12 340 970 90
--	--	---------------



Concealed thermostat with three-way diverter - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

36 428 970    Product version from 6/30/2022  
mm [inches]



Codes & Standards

ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC
-----	----------------	------------------------------------	------

Certificates and sustainability

IAPMO\_4976 (

# Concealed thermostat with three-way diverter - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

36 428 970 Product version from 6/30/2022

