














WATER FAN vertical Body spray - Brushed Dark Platinum

SERIES-VARIOUS

36 513 979 Product version from 10/1/2023



- AQUAPRESSURE FLOW, max. flow rate 1.8 gpm (at 3 bar)
- Adjustable jet
- Cover plate 9-1/2" x 2-3/8"
- 1/2" connection
- This product reduces water consumption by 28% (compared to requirements of EPA '92)
- This product contributes to meeting the requirements of the LEED® Green Building Rating
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | | |
|---|-------------------------------|--------------------|
|  | Brushed Dark Platinum | 36 513 979-99 0010 |
|  | Chrome | 36 513 979-00 0010 |
|  | Brushed Platinum | 36 513 979-06 0010 |
|  | Platinum | 36 513 979-08 0010 |
|  | Dark Chrome | 36 513 979-19 0010 |
|  | Light gold | 36 513 979-26 0010 |
|  | Brushed Light Gold | 36 513 979-27 0010 |
|  | Brushed Durabrass (23kt Gold) | 36 513 979-28 0010 |
|  | Matte Black | 36 513 979-33 0010 |
|  | Brushed Bronze | 36 513 979-42 0010 |
|  | Brushed Champagne (22kt Gold) | 36 513 979-46 0010 |
|  | Champagne (22kt Gold) | 36 513 979-47 0010 |
|  | Brushed Chrome | 36 513 979-93 0010 |

Required article



- Rough -**
- Max. rough in depth 6-3/4"
 - Min. rough in depth 3-7/8"

35 206 970-90 0010

Recommended article



xGRID Mounting bracket for drywall construction -

12 340 970 90

Required article



xGRID Installation track 21.85" - 12 360 970 90




WATER FAN vertical Body spray - Brushed Dark Platinum

SERIES-VARIOUS

36 513 979 Product version from 10/1/2023

mm [inches]




Codes & Standards

| | | |
|----------------|------------------------------------|------|
| ASME A112.18.1 | California Energy Commission (CEC) | cUPC |
|----------------|------------------------------------|------|

Certificates and sustainability

IAPMO_4976 (



Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|--------|--------------------|--------------|-----------------|-----------|
| 6 | 09 16 01 014 90 | ring | 1.00 | 2 |
| 1 | 90 27 99 002 00-99 | insert | 1.00 | 20 |
| 3 | 09 14 10 003 90 | seal | 1.00 | 2 |
| 5 | 09 23 01 165 90 | flow reducer | 1.00 | 2 |
| 4 | 09 24 05 015 90 | nipple | 1.00 | 2 |
| 2 | 90 31 10 013 00 90 | insert | 1.00 | 2 |