




WATER BAR Body spray FlowReduce - Brushed Champagne (22kt Gold)

SERIES-VARIOUS


36 517 979 Product version from 5/16/2020




- HORIZONTAL RAIN, flow rate max. 1.6 gpm (at 3 bar)
- Descaling system
- Cover plate 9-1/2" x 2-3/8"
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Champagne (22kt Gold)	36 517 979-46
	Chrome	36 517 979-00
	Brushed Platinum	36 517 979-06
	Platinum	36 517 979-08
	Dark Chrome	36 517 979-19
	Light gold	36 517 979-26
	Brushed Light Gold	36 517 979-27
	Brushed Durabrass (23kt Gold)	36 517 979-28
	Matte Black	36 517 979-33
	Brushed Bronze	36 517 979-42
	Champagne (22kt Gold)	36 517 979-47
	Brushed Chrome	36 517 979-93
	Brushed Dark Platinum	36 517 979-99


Required article


	Rough - <ul style="list-style-type: none">•Max. rough in depth 6-3/4"•Min. rough in depth 3-7/8"	35 206 970-90 0010
---	--	--------------------

Recommended article


	xGRID Mounting bracket for drywall construction -	12 340 970 90
---	--	---------------

Required article

	xGRID Installation track 21.85" -	12 360 970 90
--	--	---------------



Flow rate chart



Trajectory length diagram



Codes & Standards

California Energy
Commission
(CEC)

DIN 4109

ISO 3822

Ü-Zeichen



WATER BAR Body spray FlowReduce - Brushed Champagne (22kt Gold)

SERIES-VARIOUS

36 517 979 Product version from 5/16/2020

Certificates and sustainability

LGA_19

