









Volume Control clockwise-closing cold 1/2" - Brushed Durabrass (23kt Gold) SERIES SPECIFIC


36 607 741 Product version from 7/1/2023




- Without flange
- Handle Ø 2-3/8"
- with marking for cold
- Ceramic disc cartridge

	Brushed Durabrass (23kt Gold)	36 607 741-28
	Chrome	36 607 741-00
	Brushed Platinum	36 607 741-06
	Dark Chrome	36 607 741-19
	Matte Black	36 607 741-33
	Brushed Champagne (22kt Gold)	36 607 741-46
	Champagne (22kt Gold)	36 607 741-47
	Brushed Dark Platinum	36 607 741-99

Required article

	Rough for volume control 1/2" -	35 607 970-90 0010
---	--	--------------------

Required article

	Rough for volume control 1/2" - <ul style="list-style-type: none">•Min. rough in depth 3-3/8"•Max. rough in depth 5-3/4"	35 607 970-90 0010
---	--	--------------------




Volume Control clockwise-closing cold 1/2" - Brushed Durabron (23kt Gold)

SERIES SPECIFIC


36 607 741 Product version from 7/1/2023

mm [inches]



Codes & Standards			
DIN 4109	EN 200	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

Certificates and sustainability				
DVGW_DW-6501DN0	LGA_38	LGA_29	WRAS_2010	LGA_29



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
4	09 31 11 055 90	pin	1.00	2
8	09 29 06 020-28	spindle	1.00	-
Spare part can no longer be ordered, please order the replacement item				
12	90 90 03 143 00 90	top	1.00	2
3	90 12 12 002 00 90	fixing cap	1.00	2
11	09 30 01 107 90	sleeve	1.00	2
5	09 27 74 004-28	rosette	1.00	20
6	04 29 06 020 00-00	spindle	1.00	10
2	04 27 74 004 00-28	rosette	1.00	20
1	09 20 74 020-28	handle (cold)	1.00	20
10	90 23 30 023 00 90	nut	1.00	2
9	90 14 15 020 03 90	ring	1.00	2
7	90 14 10 060 00 90	seal	1.00	2