









CL.1 Volume Control counter-clockwise closing hot 1/2" - Brushed Platinum

CL.1

36 627 707    Product version up to 10/14/2020



- CASCADE structure
  - Flange 2-3/8" x 2-3/8"
  - with marking for hot
  - Ceramic disc cartridge  
**(ADA)**
- (ADA)

	Brushed Platinum	36 627 707-06
	Chrome	36 627 707-00
	Dark Chrome	36 627 707-19
	Brushed Champagne (22kt Gold)	36 627 707-46
	Champagne (22kt Gold)	36 627 707-47
	Brushed Dark Platinum	36 627 707-99

Required article



- Rough for volume control 1/2" - 35 607 970-90 0010**
- Max. rough in depth 5-7/8"
  - Min. rough in depth 4-1/8"




CL.1 Volume Control counter-clockwise closing hot 1/2" - Brushed Platinum

CL.1

36 627 707    Product version up to 10/14/2020

mm [inches]




Codes & Standards

ADA	ASME A112.18.1	cUPC	DIN 4109
EN 200	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			

Certificates and sustainability

DVGW_DW-6501DN0	LGA_29	WRAS_2010	LGA_29	IAPMO_4976 (
-----------------	--------	-----------	--------	--------------



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 20 70 053 03-06	handle ( hot )	1.00	10
3	90 90 03 142 00 90	top	1.00	2
2	09 21 02 108 90	disc	1.00	60