







**MADISON Bath spout for wall mounting - Durabrand (23kt Gold)**

MADISON

13 801 380




- 170mm projection
- circular normal flow
- hole diameter 37 mm
- 3/4" connection
- max. flow 22 l/min at 3 bar flow pressure
- Min. rough in depth 2-1/8" (US-only)
- WRAS 1404060


	Durabrand (23kt Gold)	13 801 380-09
	Chrome	13 801 380-00
	Brushed Platinum	13 801 380-06
	Platinum	13 801 380-08
	Brushed Durabrand (23kt Gold)	13 801 380-28
	Brushed Dark Platinum	13 801 380-99

13 801 380

mm [inches]



### Flow rate chart



### Codes & Standards

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## MADISON Bath spout for wall mounting - Durabrass (23kt Gold)

---

MADISON

13 801 380

Certificates

---


WRAS\_1404

13 801 380

Product version up to 7/31/2009

**Product version from 7/31/2009**

Parts for other  
finishes can be found  
here: Chrome





MADISON Bath spout for wall mounting - Durabrass (23kt Gold)

MADISON

13 801 380

Spare parts list

Product version up to 7/31/2009

Product version from 7/31/2009

No.	Item Number	Name	Quantity used	Delivery time
	09 11 36 090-09	spout	2	60