

CL.1 Deck valve clockwise closing cold - Chrome

20 006 705




- with CASCADE structure
- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

	Chrome	20 006 705-00
	Brushed Platinum	20 006 705-06
	Dark Chrome	20 006 705-19
	Brushed Champagne (22kt Gold)	20 006 705-46
	Champagne (22kt Gold)	20 006 705-47
	Brushed Dark Platinum	20 006 705-99


CL.1 Deck valve clockwise closing cold - Chrome

20 006 705

mm [inches]



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC
DIN 4109	ISO 3822	NSF/ANSI 372	NSF/ANSI/CAN 61
NSF372	NSF61	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen



CL.1 Deck valve clockwise closing cold - Chrome

20 006 705


Certificates

WRAS_240202	IAPMO_4976	IAPMO_N-4	WRAS_1804	LGA_28
IAPMO_6				

CL.1 Deck valve clockwise closing cold - Chrome

20 006 705

Product version from 3/9/2015





CL.1 Deck valve clockwise closing cold - Chrome

20 006 705

Spare parts list

Product version from 3/9/2015

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 053 06-00	handle (cold)	8	10