

# TARA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Durabrass (23kt Gold)

TARA

25 943 882 Product version from 5/27/2021














- 220mm projection
- pivotable spout 180°
- spout: circular, air-enriched flow
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 765 mm
- slide-on rosettes Ø 90 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- max. flow 22 l/min at 3 bar flow pressure
- WRAS

**Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90) Intrinsic protection against back flow.**

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

	Brushed Durabrass (23kt Gold)	25 943 882-28
	Chrome	25 943 882-00
	Brushed Platinum	25 943 882-06
	Platinum	25 943 882-08
	Dark Chrome	25 943 882-19
	Matte Black	25 943 882-33
	Brushed Bronze	25 943 882-42
	Brushed Champagne (22kt Gold)	25 943 882-46
	Champagne (22kt Gold)	25 943 882-47
	Brushed Chrome	25 943 882-93
	Brushed Dark Platinum	25 943 882-99

## Required miscellaneous



### Concealed floor mounting -


- max. recess depth mm
- min. recess depth mm

35 951 970-90  
0010


# TARA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Durabron (23kt Gold)

TARA

25 943 882 Product version from 5/27/2021  
mm [inches]



## Flow rate chart



## Codes & Standards

ASME  
A112.18.1/CSA  
B125.1

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## TARA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Durabron (23kt Gold)

---

TARA

25 943 882 Product version from 5/27/2021

### Certificates

---

WRAS\_2212


LGA\_18

Belgaqua\_21-033-2

# TARA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Durabronz (23kt Gold)

TARA

25 943 882 Product version from 5/27/2021





# TARA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Durabrand (23kt Gold)

TARA

25 943 882 Product version from 5/27/2021

## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 20 88 052 00-28	handle	2	20
2	04 18 20 022 00-28	angle	2	-
Spare part can no longer be ordered, please order the replacement item				
3	09 20 88 052-28	handle	2	20
4	90 12 12 007 00-28	base	2	20
5	90 30 11 029 00 90	disc	2	2
6	90 30 30 075 00 90	screw	2	2
7	90 90 03 130 00 90	top	1	2
8	90 28 22 222 00-28	spout	1	20
9	90 21 10 011 00 90	diverter	1	2
10	04 24 04 189 00-28	nipple	1	20
11	90 12 11 140 41-28	shower	1	20
12	90 30 02 072 00-28	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Durabrand (23kt Gold)	1	20
13	90 18 40 035 00 90	sleeve	1	2
14	04 28 10 029 01-28	holder	1	20
15	09 29 05 021 20 90	nipple	2	2
16	09 14 10 112 90	seal	4	2
17	90 14 10 055 00 90	seal	4	2
18	09 14 10 041 90	seal	2	2
19	09 27 89 025-28	rosette	2	20
20	09 23 30 040-07	nut	2	30
21	04 28 22 009 20-28	connection	2	20
22	09 14 10 081 90	seal	2	2
23	09 24 03 094-07	nipple	2	30
24	04 23 10 023 00 90	fixing set	6	2
25	09 30 11 130-07	connection	2	30
26	09 24 03 081 10 90	extension	4	2
27	09 24 03 080 90	extension	2	2
28	90 90 03 131 00 90	top	1	2
29	90 15 01 005 00 90	insert	1	2
30	90 18 20 025 00-28	diverter	1	20
31	09 28 10 028-28	sleeve	1	20
32	90 14 10 032 00 90	seal	1	2
33	09 24 03 121-28	nipple	1	20
34	09 23 01 131 90	back-flow preventer	1	2
35	09 21 02 143-28	sleeve	1	20
36	90 14 20 026 00 90	seal	1	2