

MADISON Metal hand shower with porcelain insert (white) FlowReduce - Brushed Dark Platinum








MADISON

28 002 970



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- spray head Ø 64mm
- 1/2" connection
- This product reduces water consumption by % (compared to requirements of EPAAct '92)
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.


| | | |
|--|--------------------------------|--------------------|
|  | Brushed Dark Platinum | 28 002 970-99 0010 |
|  | Chrome | 28 002 970-00 0010 |
|  | Brushed Platinum | 28 002 970-06 0010 |
|  | Platinum | 28 002 970-08 0010 |
|  | Durabronze (23kt Gold) | 28 002 970-09 0010 |
|  | Brushed Durabronze (23kt Gold) | 28 002 970-28 0010 |
|  | Brushed Chrome | 28 002 970-93 0010 |




MADISON Metal hand shower with porcelain insert (white) FlowReduce -
Brushed Dark Platinum

MADISON

28 002 970
mm [inches]




Flow rate chart



Codes & Standards

| | | | |
|----------------|------------------------------------|-----------|-------------|
| ASME A112.18.1 | California Energy Commission (CEC) | cUPC | DIN 4109 |
| EPA WaterSense | ISO 3822 | Ü-Zeichen | Water Sense |

WaterSense 



MADISON Metal hand shower with porcelain insert (white) FlowReduce -
Brushed Dark Platinum

MADISON

28 002 970

Certificates

IAPMO_4976

IAPMO_11


LGA_8

**MADISON Metal hand shower with porcelain insert (white) FlowReduce -
Brushed Dark Platinum**

MADISON

28 002 970

Parts for other
finishes can be found
here: [Chrome](#)





MADISON Metal hand shower with porcelain insert (white) FlowReduce -
Brushed Dark Platinum

MADISON

28 002 970

Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------|---------------|---------------|
| | 90 12 01 010 00 90 | set | 8 | 2 |