

## Rain shower for surface-mounted ceiling installation with light 300 x 240 mm - Brushed Champagne (22kt Gold)

IMO

28 042 980



Fits: IMO, LULU, MEM, CL.1, CYO

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K
- Provided by customer: Light switch
- Not suitable for use in a steam room.

**Three-way diverter trim is sold separately.**

**Pre-assembly kit for three-way diverter included**

**includes light bulbs with a Class F energy efficiency**

Three-way diverter trim is sold separately.

Pre-assembly kit for three-way diverter included

includes light bulbs with a Class F energy efficiency

	Brushed Champagne (22kt Gold)	28 042 980-46 0010
	Chrome	28 042 980-00 0010
	Brushed Platinum	28 042 980-06 0010
	Platinum	28 042 980-08 0010
	Dark Chrome	28 042 980-19 0010
	Brushed Light Gold	28 042 980-27 0010
	Brushed Durabronze (23kt Gold)	28 042 980-28 0010
	Matte Black	28 042 980-33 0010
	Champagne (22kt Gold)	28 042 980-47 0010
	Brushed Chrome	28 042 980-93 0010
	Brushed Dark Platinum	28 042 980-99 0010

### Required miscellaneous



**Concealed ceiling installation box for surface-mounted ceiling installation with light -** 35 042 970-90 0010


- min. recess depth 90 mm
- Pre-assembly kit for three-way diverter included
- max. recess depth 115 mm
- Provided by customer: Light switch

## Rain shower for surface-mounted ceiling installation with light 300 x 240 mm - Brushed Champagne (22kt Gold)


IMO

28 042 980

mm [inches]



### Flow rate chart



### Codes & Standards


California Energy  
Commission  
(CEC)

# Rain shower for surface-mounted ceiling installation with light 300 x 240 mm - Brushed Champagne (22kt Gold)

IMO

28 042 980

**Product version from 5/1/2022**





Rain shower for surface-mounted ceiling installation with light 300 x 240 mm -  
Brushed Champagne (22kt Gold)

IMO

28 042 980

## Spare parts list

### Product version from 5/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 17 20 263 00 90	fixing set	4	2