


Rain shower for surface-mounted ceiling installation with light 300 x 240 mm - Brushed Chrome

IMO

28 042 980



Fits: IMO, LULU, MEM, CL.1, CYO


- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- central LED Spot 3000 K
- Provided by customer: Light switch
- Not suitable for use in a steam room.

Three-way diverter trim is sold separately.

**Pre-assembly kit for three-way diverter included
includes light bulbs with a Class F energy
efficiency**

Three-way diverter trim is sold separately.

Pre-assembly kit for three-way diverter included
includes light bulbs with a Class F energy efficiency

	Brushed Chrome	28 042 980-93 0010
	Chrome	28 042 980-00 0010
	Brushed Platinum	28 042 980-06 0010
	Platinum	28 042 980-08 0010
	Dark Chrome	28 042 980-19 0010
	Brushed Light Gold	28 042 980-27 0010
	Brushed Durabronze (23kt Gold)	28 042 980-28 0010
	Matte Black	28 042 980-33 0010
	Brushed Champagne (22kt Gold)	28 042 980-46 0010
	Champagne (22kt Gold)	28 042 980-47 0010
	Brushed Dark Platinum	28 042 980-99 0010

Required miscellaneous




**Concealed ceiling installation box
for surface-mounted ceiling
installation with light -** 35 042 970-90
0010

- max. recess depth 115 mm
- Provided by customer: Light switch
- min. recess depth 90 mm
- Pre-assembly kit for three-way diverter included




Rain shower for surface-mounted ceiling installation with light 300 x 240 mm -
Brushed Chrome

IMO



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	EPA WaterSense
Water Sense	WaterSense		



Rain shower for surface-mounted ceiling installation with light 300 x 240 mm - Brushed Chrome

IMO

28 042 980

Certificates

IAPMO_4976


IAPMO_11

Rain shower for surface-mounted ceiling installation with light 300 x 240 mm - Brushed Chrome

IMO

28 042 980

Product version from 5/1/2022





Rain shower for surface-mounted ceiling installation with light 300 x 240 mm -
Brushed Chrome

IMO

28 042 980

Spare parts list

Product version from 5/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 17 20 263 00 90	fixing set	4	2