





DORNBRACHT YAMOU Shower head - Chrome

28 504 831 Product version from 1/1/2023



- 180-210mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7.6 l/min
- rosette Ø 55 mm

	Chrome	28 504 831-00 0010
	Soft Black	28 504 831-69 0010

Recommended miscellaneous

Concealed wall elbow - 35 085 970-90
0010






DORNBRAUCH YAMOU Shower head - Chrome

28 504 831 Product version from 1/1/2023

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	cUPC
----------------	---------------------------------	--	------



DORNBRAUCH YAMOU Shower head - Chrome


28 504 831 Product version from 1/1/2023

Certificates

IAPMO_4976

DORNBRACT YAMOU Shower head - Chrome

28 504 831 Product version from 1/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 27 83 018 00-00	rosette	1	2
2	90 11 03 011 11-00	connection	1	2