

## Shower head - Dark Chrome














IMO

28 505 979



Fits: IMO, TARA, LISSÉ, VAIA, META

- 155mm projection
- ball-joint pivotable through 18° (in any direction)
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- Function from: 6 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

|   |                                |                    |
|---|--------------------------------|--------------------|
|    | Dark Chrome                    | 28 505 979-19 0010 |
|    | Chrome                         | 28 505 979-00 0010 |
|    | Brushed Platinum               | 28 505 979-06 0010 |
|    | Platinum                       | 28 505 979-08 0010 |
|    | Light Gold                     | 28 505 979-26 0010 |
|    | Brushed Light Gold             | 28 505 979-27 0010 |
|    | Brushed Durabronze (23kt Gold) | 28 505 979-28 0010 |
|    | Matte Black                    | 28 505 979-33 0010 |
|    | Brushed Bronze                 | 28 505 979-42 0010 |
|    | Brushed Champagne (22kt Gold)  | 28 505 979-46 0010 |
|   | Champagne (22kt Gold)          | 28 505 979-47 0010 |
|  | Brushed Chrome                 | 28 505 979-93 0010 |
|  | Brushed Dark Platinum          | 28 505 979-99 0010 |




Shower head - Dark Chrome


IMO

28 505 979

mm [inches]



Flow rate chart



Codes & Standards

ASME  
A112.18.1/CSA  
B125.1

California Energy  
Commission  
(CEC)

## Shower head - Dark Chrome

IMO

28 505 979

Parts for other  
finishes can be found  
here: [Chrome](#)

