



LOT BAR TAP Two-hole mixer with individual rosettes - Brushed Champagne (22kt Gold)


LOT

32 805 680			
	<ul style="list-style-type: none"> • 165mm projection • pivotable spout 360° • air-enriched flow • height of mixer 230 mm • height up to laminar flow regulator 205 mm • individual rosette 55 x 55 mm • hole diameter spout 35 mm • single-lever mixer hole diameter 44 mm • 2 x pressure hose with 3/8" cap nut • max. flow 5.7 l/min at 3 bar flow pressure • lead-free • This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB <p>Operating unit can be positioned freely.</p>	<div>  Brushed Champagne (22kt Gold) 32 805 680-46 0010 </div> <div>  Chrome 32 805 680-00 0010 </div> <div>  Brushed Platinum 32 805 680-06 0010 </div> <div>  Platinum 32 805 680-08 0010 </div> <div>  Dark Chrome 32 805 680-19 0010 </div> <div>  Brushed Durabronze (23kt Gold) 32 805 680-28 0010 </div> <div>  Champagne (22kt Gold) 32 805 680-47 0010 </div> <div>  Brushed Dark Platinum 32 805 680-99 0010 </div>	

Recommended miscellaneous

	Dispenser with rosette - Brushed Champagne (22kt Gold)	82 439 970-46
---	---	---------------

Recommended miscellaneous


	AIR SWITCH Control button - Brushed Champagne (22kt Gold)	10 714 970-46
---	--	---------------




LOT BAR TAP Two-hole mixer with individual rosettes - Brushed Champagne
(22kt Gold)

LOT

32 805 680
mm [inches]



Flow rate chart



Codes & Standards

ADA

ASME
A112.18.1/CSA
B125.1

California Energy
Commission
(CEC)

NSF/ANSI 372

NSF/ANSI/CAN
61



LOT BAR TAP Two-hole mixer with individual rosettes - Brushed Champagne
(22kt Gold)

LOT

32 805 680

Certificates

IAPMO_N-4976.

IAPMO_6397.

LOT BAR TAP Two-hole mixer with individual rosettes - Brushed Champagne (22kt Gold)

LOT

32 805 680

Parts for other
finishes can be found
here: [Chrome](#)

