

## LISSE Single-lever bath mixer for wall mounting without shower set - Brushed Dark Platinum

LISSE

33 200 845



- 190-200mm projection
- circular normal flow
- automatic bath/shower diverter
- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 13.5 l/min at 3 bar flow pressure
- WRAS 2311042

**Intrinsic protection against back flow.**

**Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)**

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

	Brushed Dark Platinum	33 200 845-99
	Chrome	33 200 845-00
	Brushed Platinum	33 200 845-06
	Dark Chrome	33 200 845-19
	Brushed Light Gold	33 200 845-27
	Matte Black	33 200 845-33
	Brushed Chrome	33 200 845-93

### Required miscellaneous




- Concealed adapter -** 35 080 970-90
- please order two adapters (USA only) 0010

## LISSE Single-lever bath mixer for wall mounting without shower set - Brushed Dark Platinum


LISSE

33 200 845

mm [inches]



### Flow rate chart



### Codes & Standards

California Energy  
Commission  
(CEC)

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## LISSE Single-lever bath mixer for wall mounting without shower set - Brushed Dark Platinum

---

LISSE

33 200 845

Certificates

---

WRAS\_2311


LGA\_9

**LISSE Single-lever bath mixer for wall mounting without shower set - Brushed  
Dark Platinum**

LISSE

33 200 845

**Product version from 4/1/2024**





LISSE Single-lever bath mixer for wall mounting without shower set - Brushed  
Dark Platinum

LISSE

33 200 845

**Spare parts list**

**Product version from 4/1/2024**

No.	Item Number	Name	Quantity used	Delivery time
	09 20 84 021-99	handle	36	30