

SYNC Single-lever mixer Pull-down with spray function - Dark Chrome

SYNC

33 870 895



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- height of mixer 444 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8" cap nut
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Push button locks into spray mode when pressed. To switch back to laminar flow the water must be turned off.

	Dark Chrome	33 870 895-19 0010
	Chrome	33 870 895-00 0010
	Brushed Platinum	33 870 895-06 0010
	Platinum	33 870 895-08 0010
	Durabronze (23kt Gold)	33 870 895-09 0010
	Brushed Durabronze (23kt Gold)	33 870 895-28 0010
	Matte Black	33 870 895-33 0010
	Brushed Champagne (22kt Gold)	33 870 895-46 0010
	Champagne (22kt Gold)	33 870 895-47 0010
	Brushed Chrome	33 870 895-93 0010
	Brushed Dark Platinum	33 870 895-99 0010

Recommended miscellaneous

Swivel limitation set - 12 821 970 90



Recommended miscellaneous

Dispenser without rosette - Chrome 82 424 970-00



Recommended miscellaneous

AIR SWITCH Control button - Dark Chrome 10 713 970-19



Recommended miscellaneous

AIR SWITCH Control button - Chrome 10 713 970-00




Recommended miscellaneous


Dispenser without rosette - Dark Chrome 82 424 970-19



33 870 895



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	NSF/ANSI 372
NSF/ANSI/CAN 61	NSF372	NSF61	



SYNC Single-lever mixer Pull-down with spray function - Dark Chrome


SYNC

33 870 895

Certificates

IAPMO_6397

IAPMO_N-4976





SYNC Single-lever mixer Pull-down with spray function - Dark Chrome

SYNC

33 870 895

Spare parts list