






DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110



- 230mm projection
- pivotable spout 120°
- air-enriched flow and spray flow
- fabric braided hose 1500 mm
- max. flow 5.2 l/min at 3 bar flow pressure
- lead-free


Intrinsic protection against back flow.

	Brushed Nickel	33 960 110-70 0010
	Chrome	33 960 110-00 0010
	Soft Black	33 960 110-69 0010




DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110



Flow rate chart



Codes & Standards

California Energy  
Commission  
(CEC)

NSF372

NSF61



## DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

---

33 960 110

Certificates

---


IAPMO\_6397

IAPMO\_N-4976

## DORNBRAUCHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Parts for other  
finishes can be found  
here: [Chrome](#)





DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 20 81 001 00-70	handle	15	2