

## MEM Concealed three-way diverter - Chrome

MEM

36 210 782



- rotary diverter
- rosette 60 x 60 mm
- with shut-off function

	Chrome	36 210 782-00 0010
	Brushed Platinum	36 210 782-06 0010
	Platinum	36 210 782-08 0010
	Dark Chrome	36 210 782-19 0010
	Brushed Durabronze (23kt Gold)	36 210 782-28 0010
	Brushed Dark Platinum	36 210 782-99 0010

### Required miscellaneous



- Concealed three-way diverter -** 35 203 970-90  
 • max. recess depth 160 mm 0010  
 • min. recess depth 115 mm




MEM Concealed three-way diverter - Chrome


MEM

36 210 782

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC
----------------	------------------------------------	------



## MEM Concealed three-way diverter - Chrome

---

MEM


36 210 782

### Certificates

---

IAPMO\_4976

**Product version from 4/1/2022**





## MEM Concealed three-way diverter - Chrome

MEM

36 210 782

### Spare parts list

#### Product version from 4/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 90 03 305 10 90	diverter	3	2