



## SYMETRICS xGATE Mixer valve with volume control for wall mounting - Brushed Durabron (23kt Gold)

---

36 325 985



- cover plate 120 x 60 mm
- WRAS 2106005

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 crosspieces.




SYMETRICS xGATE Mixer valve with volume control for wall mounting -  
Brushed Durabross (23kt Gold)

36 325 985  
mm [inches]



Flow rate chart



Codes & Standards

ADA	DIN 4109	EN 200	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	VA-Zeichen



## SYMETRICS xGATE Mixer valve with volume control for wall mounting - Brushed Durabross (23kt Gold)

---

36 325 985

Certificates

---

ETA\_20


WRAS\_2106

LGA\_18

## SYMETRICS xGATE Mixer valve with volume control for wall mounting - Brushed Durabronz (23kt Gold)

---

36 325 985





SYMETRICS xGATE Mixer valve with volume control for wall mounting -  
Brushed Durabross (23kt Gold)

36 325 985

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	09 20 98 002-28	handle	15	20