

36 503 977



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

**Recommended miscellaneous**



**xGRID Attachment set for  
integrating in the dry wall  
construction -**

12 340 970 90


**Required miscellaneous**




**xGRID Installation track 555 mm -** 12 360 970 90

36 503 977

mm [inches]



### Flow rate chart



### Codes & Standards

ASME	DIN 4109	EN 1111	ISO 3822
A112.18.1/CSA B125.1			
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	



MADISON xTOOL Concealed thermostat without volume control 3/4" - Chrome

MADISON

36 503 977

Certificates

LGA_29	LGA_29	DVGW_DW-6512DN0	WRAS_2011
--------	--------	-----------------	-----------


36 503 977

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

**Product version from 6/30/2022 to 5/11/2021**





## MADISON xTOOL Concealed thermostat without volume control 3/4" - Chrome

MADISON

36 503 977

### Spare parts list

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

### Product version from 6/30/2022 to 5/11/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 15 02 063 00 90	cartridge	10	2