







CL.1 Wall valve anti-clockwise closing hot 1/2" - Chrome

CL.1


36 607 707



- rosette 60 x 60 mm
- with hot marking
- head part with cut-to-length spindle and sleeve

| | | |
|---|-------------------------------|---------------|
|  | Chrome | 36 607 707-00 |
|  | Brushed Platinum | 36 607 707-06 |
|  | Dark Chrome | 36 607 707-19 |
|  | Brushed Champagne (22kt Gold) | 36 607 707-46 |
|  | Champagne (22kt Gold) | 36 607 707-47 |
|  | Brushed Dark Platinum | 36 607 707-99 |

Required miscellaneous

| | | |
|--|--|-----------------------|
|  | Wall valve 1/2" - • max. recess depth 150 mm • min. recess depth 105 mm | 35 607 970-90 0010 |
|--|--|-----------------------|



CL.1 Wall valve anti-clockwise closing hot 1/2" - Chrome

CL.1

36 607 707

mm [inches]



Codes & Standards

| | |
|-----|---------------------------------|
| ADA | ASME A112.18.1/CSA B125.1 |
|-----|---------------------------------|

Certificates

| | | | | |
|-------------------------|-----------------|------------|---------------|------------|
| DVGW_DW- 6501DN0116. | IAPMO_4976 (1). | LGA_29931. | WRAS_2010066. | LGA_29932. |
|-------------------------|-----------------|------------|---------------|------------|

36 607 707



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|----------------|---------------|---------------|
| 1 | 90 20 70 051 03-00 | handle (hot) | 1 | 10 |
| 2 | 90 21 02 108 00 90 | disc | 1 | 2 |
| 3 | 90 90 03 142 00 90 | top | 1 | 2 |