

CYO Wall-mounted basin mixer without pop-up waste - Brushed Platinum

CYO








36 707 811



- 160mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 37 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 2111006

NOTE: The handle inserts must be ordered separately from the fittings!

NOTE: The handle inserts must be ordered separately from the fittings!

	Brushed Platinum	36 707 811-06
	Chrome	36 707 811-00
	Dark Chrome	36 707 811-19
	Brushed Durabronz (23kt Gold)	36 707 811-28
	Platinum / Brushed Platinum	36 707 811-36
	Durabronz / Brushed Durabronz (23kt Gold)	36 707 811-38
	Brushed Dark Platinum	36 707 811-99

Required miscellaneous



- | | |
|---|---------------|
| Concealed wall-mounted mixer centred spout - | 35 700 970-90 |
| • max. recess depth 145 mm | 0010 |
| • min. recess depth 85 mm | |


Required miscellaneous




- | | |
|--|---------------|
| Concealed wall-mounted mixer variable positioning - | 35 720 970-90 |
| • max. recess depth 145 mm | 0010 |
| • min. recess depth 85 mm | |

36 707 811


mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
EPA WaterSense	ISO 3822	NSF372	NSF61
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	Water Sense
WaterSense			



CYO Wall-mounted basin mixer without pop-up waste - Brushed Platinum

CYO

36 707 811

Certificates

IAPMO_4976


WRAS_2111

IAPMO_8834

IAPMO_6397

IAPMO_N-4976

LGA_38





CYO Wall-mounted basin mixer without pop-up waste - Brushed Platinum

CYO

36 707 811

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	13 800 811-06	CYO Wall-mounted basin spout without pop-up waste - Brushed Platinum	3	10