






SERIES-VARIOUS AQUAHALO Rain panel - Brushed Platinum

41 750 979



- exposed trim parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 6.8 l/min (at 3 bar)
- DIAMOND RAIN: Ring of rain, max. flow rate 6.8 l/min (at 3 bar)
- Outer diameter: 605 mm, opening diameter: 465 mm
- Weight: 6 kg
- central LED Spot 3000 K
- Protection rating IP67
- Not suitable for use in a steam room.

To meet the North American plumbing standards, this application must be installed with three-way diverter (rough included).

| | | |
|--|-------------------------------|--------------------|
|  | Brushed Platinum | 41 750 979-06 0010 |
|  | Chrome | 41 750 979-00 0010 |
|  | Matte Black | 41 750 979-33 0010 |
|  | Brushed Champagne (22kt Gold) | 41 750 979-46 0010 |
|  | Champagne (22kt Gold) | 41 750 979-47 0010 |

Required miscellaneous




- SERIES-VARIOUS AQUAHALO** 35 750 970-06
Concealed ceiling installation box 0010
- Brushed Platinum
- concealed rough parts
 - Pre-assembly kit for three-way diverter included
 - Ceiling installation enclosure 605 x 605 x 95 mm
 - Weight: 10 kg
 - min. recess depth 110 mm

SERIES-VARIOUS AQUAHALO Rain panel - Brushed Platinum

41 750 979



Flow rate chart



SERIES-VARIOUS AQUAHALO Rain panel - Brushed Platinum

41 750 979

Product version from 4/1/2024

Parts for other
finishes can be found
here: [Chrome](#)





SERIES-VARIOUS AQUAHALO Rain panel - Brushed Platinum

41 750 979

Spare parts list

Product version from 4/1/2024

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-------------|---------------|---------------|
| | 90 28 22 605 01-06 | distributor | 13 | 60 |