




CL.1 Three-hole basin mixer without pop-up waste - Brushed Platinum

CL.1

ST 010 101 5705



- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 108 mm
- height up to aerator 94 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Platinum	ST 010 101 5705-06
	Chrome	ST 010 101 5705-00
	Brushed Dark Platinum	ST 010 101 5705-99

Individual components of this set

You need the following components for this set

1x 13 714 705-06



1x 20 004 716-06



1x 20 004 715-06









CL.1 Three-hole basin mixer without pop-up waste - Brushed Platinum

CL.1

ST 010 101 5705



- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 108 mm
- height up to aerator 94 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 1512011


	Brushed Platinum	13 714 705-0
	Chrome	13 714 705-0
	Dark Chrome	13 714 705-1
	Brushed Champagne (22kt Gold)	13 714 705-4
	Champagne (22kt Gold)	13 714 705-4
	Brushed Dark Platinum	13 714 705-9

ST 010 101 5705


6
—
0
—
9
—
6
—
7
—
9
—

ST 010 101 5705


mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	cUPC
DIN 4109	EPA WaterSense	Executive Order no. 1007	ISO 3822
NSF/ANSI 372	NSF/ANSI/CAN 61	NSF372	NSF61
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	Water Sense
WaterSense			

ST 010 101 5705

Certificates


LGA_28	GDV_0400	IAPMO_N-4	IAPMO_8834	IAPMO_6
IAPMO_4976	WRAS_1512			

ST 010 101 5705

Product version from 6/15/2021

Product version from 7/1/2021 to 6/15/2021

Parts for other
finishes can be found
here: [Chrome](#)



ST 010 101 5705

Spare parts list

Product version from 6/15/2021

Product version from 7/1/2021 to 6/15/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 11 70 002 00-06	spout	12	10







CL.1 Three-hole basin mixer without pop-up waste - Brushed Platinum

CL.1

ST 010 101 5705



- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

	Brushed Platinum	20 004 716-0
	Chrome	20 004 716-0
	Brushed Durabronze (23kt Gold)	20 004 716-2
	Brushed Champagne (22kt Gold)	20 004 716-4
	Champagne (22kt Gold)	20 004 716-4
	Brushed Dark Platinum	20 004 716-9



CL.1 Three-hole basin mixer without pop-up waste - Brushed Platinum


CL.1

ST 010 101 5705


6
—
0
—
8
—
6
—
7
—
9
—

ST 010 101 5705

mm [inches]



Flow rate chart



Certificates

IAPMO_4976

IAPMO_N-4


LGA_28

IAPMO_6

Codes & Standards			
ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC
DIN 4109	ISO 3822	NSF/ANSI 372	NSF/ANSI/CAN 61
NSF372	NSF61	Ü-Zeichen	

Product version from 6/1/2015

Parts for other
finishes can be found
here: [Chrome](#)



ST 010 101 5705

Spare parts list

Product version from 6/1/2015







No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 057 03-06	handle (cold)	7	10

CL.1 Three-hole basin mixer without pop-up waste - Brushed Platinum
CL.1

ST 010 101 5705



- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking


	Brushed Platinum	20 004 715-0
	Chrome	20 004 715-0
	Brushed Durabross (23kt Gold)	20 004 715-2
	Brushed Champagne (22kt Gold)	20 004 715-4
	Champagne (22kt Gold)	20 004 715-4
	Brushed Dark Platinum	20 004 715-9

ST 010 101 5705


6
—
0
—
8
—
6
—
7
—
9
—

ST 010 101 5705

mm [inches]



Flow rate chart



Certificates

IAPMO_4976

IAPMO_N-4


LGA_28

IAPMO_6

Codes & Standards			
ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC
DIN 4109	ISO 3822	NSF/ANSI 372	NSF/ANSI/CAN 61
NSF372	NSF61	Ü-Zeichen	

Product version from 6/1/2015

Parts for other
finishes can be found
here: Chrome



ST 010 101 5705

Spare parts list

Product version from 6/1/2015

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 057 02-06	handle (hot)	7	10