




CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

ST 010 102 5705



- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Dark Platinum	ST 010 102 5705-99
	Chrome	ST 010 102 5705-00
	Brushed Platinum	ST 010 102 5705-06

Individual components of this set

You need the following components for this set

1x 13 715 705-99



1x 20 004 716-99



1x 20 004 715-99







CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

ST 010 102 5705



- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 1512011


	Brushed Dark Platinum	13 715 705-9
	Chrome	13 715 705-0
	Brushed Platinum	13 715 705-0
	Dark Chrome	13 715 705-1
	Brushed Champagne (22kt Gold)	13 715 705-4
	Champagne (22kt Gold)	13 715 705-4

ST 010 102 5705


9
—
0
—
6
—
9
—
6
—
7
—

ST 010 102 5705


mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	cUPC
DIN 4109	EPA WaterSense	Executive Order no. 1007	ISO 3822
NSF/ANSI 372	NSF/ANSI/CAN 61	NSF372	NSF61
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	Water Sense
WaterSense			

ST 010 102 5705

Certificates


LGA_28	IAPMO_4976	GDV_0400	IAPMO_N-4	IAPMO_8834
IAPMO_6	WRAS_1512			

ST 010 102 5705

Product version from 3/9/2015 to 6/15/2021

Product version from 7/1/2021

Parts for other
finishes can be found
here: [Chrome](#)





CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

ST 010 102 5705

Spare parts list

Product version from 3/9/2015 to 6/15/2021

Product version from 7/1/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 11 70 003 00-99	spout	12	30







CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

ST 010 102 5705



- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking


	Brushed Dark Platinum	20 004 716-9
	Chrome	20 004 716-0
	Brushed Platinum	20 004 716-0
	Brushed Durabrass (23kt Gold)	20 004 716-2
	Brushed Champagne (22kt Gold)	20 004 716-4
	Champagne (22kt Gold)	20 004 716-4

ST 010 102 5705


9
—
0
—
6
—
8
—
6
—
7
—

ST 010 102 5705

mm [inches]



Flow rate chart



Certificates


IAPMO_4976 IAPMO_N-4 LGA_28 IAPMO_6

Codes & Standards

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC
DIN 4109	ISO 3822	NSF/ANSI 372	NSF/ANSI/CAN 61
NSF372	NSF61	Ü-Zeichen	

Product version from 6/1/2015

Parts for other
finishes can be found
here: [Chrome](#)



ST 010 102 5705

Spare parts list

Product version from 6/1/2015

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 057 03-99	handle (cold)	7	30







CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

ST 010 102 5705



- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking


	Brushed Dark Platinum	20 004 715-9
	Chrome	20 004 715-0
	Brushed Platinum	20 004 715-0
	Brushed Durabrass (23kt Gold)	20 004 715-2
	Brushed Champagne (22kt Gold)	20 004 715-4
	Champagne (22kt Gold)	20 004 715-4

ST 010 102 5705


9
—
0
—
6
—
8
—
6
—
7
—

ST 010 102 5705

mm [inches]



Flow rate chart



Certificates


IAPMO_4976 IAPMO_N-4 LGA_28 IAPMO_6

Codes & Standards

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC
DIN 4109	ISO 3822	NSF/ANSI 372	NSF/ANSI/CAN 61
NSF372	NSF61	Ü-Zeichen	

Product version from 6/1/2015

Parts for other
finishes can be found
here: [Chrome](#)



ST 010 102 5705

Spare parts list

Product version from 6/1/2015

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 057 02-99	handle (hot)	7	30