




CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

ST 010 106 3705





- 200mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 343 mm
- height up to aerator 329 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Dark Platinum	ST 010 106 3705-99
	Chrome	ST 010 106 3705-00
	Brushed Platinum	ST 010 106 3705-06

Individual components of this set

You need the following components for this set









CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

ST 010 106 3705



- 200mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 343 mm
- height up to aerator 329 mm
- hole diameter 35 mm
- max. flow 4 l/min
- 1/2" connection
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 1512011

	Brushed Dark Platinum	13 717 705-9
	Chrome	13 717 705-0
	Brushed Platinum	13 717 705-0
	Dark Chrome	13 717 705-1
	Brushed Champagne (22kt Gold)	13 717 705-4
	Champagne (22kt Gold)	13 717 705-4




CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum

CL.1


ST 010 106 3705

19  
—  
10  
—  
16  
—  
9  
—  
6  
—  
7  
—

ST 010 106 3705




**Flow rate chart**



Codes & Standards

---

ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	cUPC
DIN 4109	EPA WaterSense	Executive Order no. 1007	ISO 3822
NSF/ANSI 372	NSF/ANSI/CAN 61	NSF372	NSF61
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	Water Sense
WaterSense			

ST 010 106 3705

Certificates


LGA_28	IAPMO_4976	GDV_0400	IAPMO_N-4	IAPMO_8834
IAPMO_6	WRAS_1512			

ST 010 106 3705

Product version from 3/9/2015 to 6/16/2021

**Product version from 7/1/2021**

Parts for other  
finishes can be found  
here: [Chrome](#)





CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

ST 010 106 3705

Spare parts list

Product version from 3/9/2015 to 6/16/2021

Product version from 7/1/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 11 70 003 00-99	spout	10	30



CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum







CL.1

ST 010 106 3705



Fits: CL.1, CYO

- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

	Brushed Dark Platinum	20 004 716-9
	Chrome	20 004 716-0
	Brushed Platinum	20 004 716-0
	Brushed Durabronze (23kt Gold)	20 004 716-2
	Brushed Champagne (22kt Gold)	20 004 716-4
	Champagne (22kt Gold)	20 004 716-4



CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum


CL.1

ST 010 106 3705


9  
—  
0  
—  
6  
—  
8  
—  
6  
—  
7  
—

ST 010 106 3705

mm [inches]



**Flow rate chart**



**Certificates**

IAPMO\_4976      IAPMO\_N-4      LGA\_28      IAPMO\_6


Codes & Standards

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC
DIN 4109	ISO 3822	NSF/ANSI 372	NSF/ANSI/CAN 61
NSF372	NSF61	Ü-Zeichen	



**Product version from 6/1/2015**

Parts for other  
finishes can be found  
here: [Chrome](#)





CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

ST 010 106 3705

Spare parts list

Product version from 6/1/2015

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 057 03-99	handle ( cold )	7	30

CL.1 Three-hole basin mixer without pop-up waste - Brushed Dark Platinum







CL.1

ST 010 106 3705

- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking



Fits: CL.1, CYO

	Brushed Dark Platinum	20 004 715-9
	Chrome	20 004 715-0
	Brushed Platinum	20 004 715-0
	Brushed Durabronze (23kt Gold)	20 004 715-2
	Brushed Champagne (22kt Gold)	20 004 715-4
	Champagne (22kt Gold)	20 004 715-4




ST 010 106 3705


9  
—  
0  
—  
6  
—  
8  
—  
6  
—  
7  
—

ST 010 106 3705

mm [inches]



### Flow rate chart



### Certificates

IAPMO\_4976      IAPMO\_N-4      LGA\_28      IAPMO\_6

Codes & Standards


---

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC
DIN 4109	ISO 3822	NSF/ANSI 372	NSF/ANSI/CAN 61
NSF372	NSF61	Ü-Zeichen	



**Product version from 6/1/2015**

Parts for other  
finishes can be found  
here: Chrome



ST 010 106 3705

**Spare parts list**

**Product version from 6/1/2015**

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 057 02-99	handle ( hot )	7	30