

# SYMETRICS Showerpipe with shower thermostat - Champagne (22kt Gold)

IMO

ST 050 305 9980



Fits: IMO, MEM, CL.1, CYO

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- rain shower 300 x 240mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

	Champagne (22kt Gold)	ST 050 305 9980-47 0010
	Chrome	ST 050 305 9980-00 0010
	Brushed Platinum	ST 050 305 9980-06 0010
	Platinum	ST 050 305 9980-08 0010
	Dark Chrome	ST 050 305 9980-19 0010
	Brushed Light Gold	ST 050 305 9980-27 0010
	Brushed Durabronze (23kt Gold)	ST 050 305 9980-28 0010
	Matte Black	ST 050 305 9980-33 0010
	Brushed Bronze	ST 050 305 9980-42 0010
	Brushed Champagne (22kt Gold)	ST 050 305 9980-46 0010
	Brushed Chrome	ST 050 305 9980-93 0010
	Brushed Dark Platinum	ST 050 305 9980-99 0010

## Individual components of this set

You need the following components for this set

1x 28 018 979-47 0010



1x 34 459 980-47 0010



Error: Subreport could not be shown.



Fits: IMO, MEM, CL.1, CYO

- shower with fixed riser projection 453mm
  - overhead shower: rain flow
  - rain shower 300 x 240mm
  - rain shower with anti-scale system
  - max. rainshower flow 6.8 l/min
  - Function from: 6 l/min
  - rotary diverter with volume control and shut-off function
  - slide-on rosettes Ø 70 mm
  - height of fittings up to rain shower (bottom edge) 1009mm
  - height of fittings up to top edge of elbow 1150mm
  - gauge 150 mm - 13 mm
  - metal shower hose 1750mm with integrated anti-twist protection
  - 1/2" connection
  - slide bar
  - Pipe diameter 23.5 mm
  - quick clearing
  - This product reduces water consumption by % (compared to requirements of EPAct '92)
  - This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Intrinsic protection against back flow.**

**NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.**


Intrinsic protection against back flow.

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.


	Champagne (22kt Gold)	34 459 980-47 001
	Chrome	34 459 980-00 001
	Brushed Platinum	34 459 980-06 001
	Platinum	34 459 980-08 001
	Dark Chrome	34 459 980-19 001
	Brushed Light Gold	34 459 980-27 001
	Brushed Durabronze (23kt Gold)	34 459 980-28 001
	Matte Black	34 459 980-33 001
	Brushed Champagne (22kt Gold)	34 459 980-46 001
	Brushed Chrome	34 459 980-93 001
	Brushed Dark Platinum	34 459 980-99 001



ST 050 305 9980




### Flow rate chart



Codes & Standards

ASME	California Energy
A112.18.1/CSA	Commission
B125.1	(CEC)

**Product version from 6/1/2024**





SYMETRICS Showerpipe with shower thermostat - Champagne (22kt Gold)

IMO

ST 050 305 9980

**Spare parts list**

**Product version from 6/1/2024**

No.	Item Number	Name	Quantity used	Delivery time
	04 12 05 063 10-47	shower	10	60