

TARA

25 943 882




- 220mm projection
- pivotable spout 180°
- spout: circular, air-enriched flow
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
 • hand shower with anti-scale system
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 765 mm
- slide-on rosettes Ø 90 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated antitwist protection
- pivotable shower holder on the right foot
- max. flow 22 l/min at 3 bar flow pressure
- WRAS 2212005

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)


Intrinsic protection against back flow.

	Brushed Bronze	25 943 882-42
8	Chrome	25 943 882-00
	Brushed Platinum	25 943 882-06
	Platinum	25 943 882-08
2	Dark Chrome	25 943 882-19
	Brushed Durabrass (23kt Gold)	25 943 882-28
	Matte Black	25 943 882-33
	Brushed Champagne (22kt Gold)	25 943 882-46
	Champagne (22kt Gold)	25 943 882-47
	Brushed Chrome	25 943 882-93
	Brushed Dark Platinum	25 943 882-99





Flow rate chart



Codes & Standards

ASME	Scottish Water	UK Water Supply
A112.18.1/CSA	Byelaws	Regulations
B125.1	•	-



TARA

25 943 882 Certificates

WRAS_2212






25 943 882

Product version from 5/27/2021

Parts for other finishes can be found here: Chrome





TARA

25 943 882

Spare parts list

Product version from 5/27/2021

No.	Item Number	Name	Quantity used	Delivery time
	04 20 88 052 00-42	handle	65	=

Spare part can no longer be ordered, please order the replacement item