

27 702 979



Fits: TARA, LISSÉ

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 50 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection


Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.


	Chrome	27 702 979-00
	Brushed Platinum	27 702 979-06
	Platinum	27 702 979-08
	Durabrand (23kt Gold)	27 702 979-09
	Dark Chrome	27 702 979-19
	Brushed Durabrand (23kt Gold)	27 702 979-28
	Matte Black	27 702 979-33
	Brushed Champagne (22kt Gold)	27 702 979-46
	Champagne (22kt Gold)	27 702 979-47
	Brushed Chrome	27 702 979-93
	Brushed Dark Platinum	27 702 979-99

27 702 979

mm [inches]



Flow rate chart



Codes & Standards

ASME
A112.18.1/CSA
B125.1

California Energy
Commission
(CEC)



Hand shower set for bath rim or tile edge installation - Chrome

TARA


27 702 979

Certificates

IAPMO_4976 (5). Belgaqua_21-383- WRAS_2209005.
27_8.

27 702 979

Parts for other finishes can be found here: Brushed Platinum



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 019 979-00	Hand shower - Chrome	1	2
2	04 24 04 189 00-00	nipple	1	10
3	90 14 20 002 00 90	seal	1	2
4	28 322 970-00	Metal shower hose 1/2" x 3/8" x 1750 mm - Chrome	1	2
5	90 18 40 085 00 90	sleeve	1	2
6	09 30 01 085-00	rosette	1	10
7	04 30 11 038 66 90	fixing set	1	2
8	09 30 11 060 90	disc	1	2
9	12 505 970 90	High pressure hose 1/2" x 3/8" x 500 mm -	1	2