

27 858 979



Fits: IMO, MEM, CL.1, CYO


- laminar flow
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

|                                                                                      |                               |               |
|--------------------------------------------------------------------------------------|-------------------------------|---------------|
|    | Platinum                      | 27 858 979-08 |
|    | Chrome                        | 27 858 979-00 |
|    | Brushed Platinum              | 27 858 979-06 |
|    | Dark Chrome                   | 27 858 979-19 |
|    | Brushed Light Gold            | 27 858 979-27 |
|    | Brushed Durabronz (23kt Gold) | 27 858 979-28 |
|    | Matte Black                   | 27 858 979-33 |
|    | Brushed Champagne (22kt Gold) | 27 858 979-46 |
|    | Champagne (22kt Gold)         | 27 858 979-47 |
|   | Brushed Chrome                | 27 858 979-93 |
|  | Brushed Dark Platinum         | 27 858 979-99 |

27 858 979

mm [inches]



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen

Certificates


LGA\_38

Belgaqua\_24-007-2

27 858 979

**Product version from 4/1/2024**

Parts for other finishes can be found here: [Chrome](#)





Affusion pipe with cover plate FlowReduce - Platinum

IMO

27 858 979

**Spare parts list**

**Product version from 4/1/2024**

| No. | Item Number        | Name  | Quantity used | Delivery time |
|-----|--------------------|-------|---------------|---------------|
|     | 04 12 11 073 01-08 | spout | 21            | 40            |