

33 826 861



- 235mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Chrome	33 826 861-00 0010
	Brushed Platinum	33 826 861-06 0010
	Platinum	33 826 861-08 0010
	Durabrass (23kt Gold)	33 826 861-09 0010
	Dark Chrome	33 826 861-19 0010
	Brushed Durabrass (23kt Gold)	33 826 861-28 0010
	Matte Black	33 826 861-33 0010
	Brushed Champagne (22kt Gold)	33 826 861-46 0010
	Champagne (22kt Gold)	33 826 861-47 0010
	Brushed Chrome	33 826 861-93 0010
	Brushed Dark Platinum	33 826 861-99 0010

Recommended miscellaneous

Swivel limitation set -

12 820 970 90



Recommended miscellaneous

Profi spray set - Chrome

27 799 970-00




Recommended miscellaneous

Rinsing spray set - Chrome


27 731 970-00



33 826 861




Flow rate chart



Codes & Standards

California Energy
Commission
(CEC)

33 826 861



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 28 22 284 01-00	spout	1	-
Spare part can no longer be ordered, please order the replacement item				
2	90 15 05 042 00 90	cartridge	1	2
3	09 24 04 266 90	nut	1	2
4	90 28 30 052 00-00	cover	1	10
5	90 20 66 033 00-00	handle	1	10
6	04 23 10 044 08 90	fixing set	1	2
7	04 30 04 103 00 90	hose	1	2
8	04 30 04 100 00 90	hose	2	2