

33 865 895



- 200mm projection
- Flexible silicone hose with large operating range of up to 350 mm
- pivotable 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- air-enriched flow and spray flow
- height of mixer 451 mm
- height up to aerator 119 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8" cap nut
- sprayface with anti-scaling system
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Switch back and forth between aerator and spray mode while water is running.

	Dark Chrome	33 865 895-19 0010
	Chrome	33 865 895-00 0010
	Brushed Platinum	33 865 895-06 0010
	Platinum	33 865 895-08 0010
	Durabrand (23kt Gold)	33 865 895-09 0010
	Brushed Durabrand (23kt Gold)	33 865 895-28 0010
	Matte Black	33 865 895-33 0010
	Brushed Champagne (22kt Gold)	33 865 895-46 0010
	Champagne (22kt Gold)	33 865 895-47 0010
	Brushed Chrome	33 865 895-93 0010
	Brushed Dark Platinum	33 865 895-99 0010

**Recommended miscellaneous**

**Swivel limitation set - 12 821 970 90**



**Recommended miscellaneous**

**Dispenser without rosette - Dark Chrome 82 424 970-19**




**Recommended miscellaneous**

**AIR SWITCH Control button - Dark Chrome 10 713 970-19**



33 865 895



**Flow rate chart**



**Codes & Standards**

ADA

ASME  
A112.18.1/CSA  
B125.1

California Energy  
Commission  
(CEC)

NSF/ANSI 372

NSF/ANSI/CAN  
61



## SYNC Profi single-lever mixer - Dark Chrome

---

SYNC

33 865 895

### Certificates

---

IAPMO\_N-4976 (2). IAPMO\_6397 (1).

33 865 895

