

34 459 979

	 shower with fixed riser projection 453mm overhead shower: rain flow 	Brushed Bronze	34 459 979-42 0010
Fits: IMO, LULU, TARA, LISSÉ, VAIA, META	 rain shower with anti-scale system rain shower Ø 220 mm max. rainshower flow 6.8 l/min rotary diverter with volume control and shut-off function height of fittings up to top edge of elbow 1150mm slide-on rosettes Ø 70 mm height of fittings up to rain shower (bottom edge) 1009mm gauge 150 mm - 13 mm metal shower hose 1750mm with integrated antitivist protection 1/2" connection slide bar Pipe diameter 23.5 mm quick clearing This product reduces water consumption by % (compared to requirements of EPAct '92) This product can contribute to Water Use Reduction in LEED® Green Building Rating Intrinsic protection against back flow. NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series. Intrinsic protection against back flow. 	Chrome	34 459 979-00 0010
		Brushed Platinum	34 459 979-06 0010
		Platinum	34 459 979-08 0010
		Dark Chrome	34 459 979-19 0010
		Light Gold	34 459 979-26 0010
		Brushed Light Gold	34 459 979-27 0010
		Brushed Durabrass (23kt Gold)	34 459 979-28 0010
		Matte Black	34 459 979-33 0010
		Brushed Champagne (22kt Gold)	34 459 979-46 0010
		Champagne (22kt	34 459 979-47 0010
		Brushed Chrome	34 459 979-93 0010
		Brushed Dark Platinum	34 459 979-99 0010
Required miscellaneous	Required mise	cellaneous	

	С
\sim	•
	0

Concealed adapter - please order two adapters (USA nly)	35 080 970-90 0010

970-90		Hand shower FlowReduce - Brushed Bronze	28 016 979-42 0010	
	1000			

Required miscellaneous




28 012 979-42 0010 Required miscellaneous


Hand shower FlowReduce -	28 018 979-42
Brushed Bronze	0010



34 459 979



Flow rate chart




Codes & Standards

ASME	California Energy
A112.18.1/CSA	Commission
B125.1	(CEC)



34 459 979

Product version from 7/1/2023





34 459 979

Spare parts list

Product version from 7/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	04 12 05 092 10-42	shower	11	60